



S O U R C E F O U R[®] jr/jr Zoom



Complete Assembly



Reference Number	Part Number	Description	Quantity Required
1	7062A3002	Barrel, left casting	1
2	7062A3004	Barrel, right casting	1
3	7062A2008	Lamp burner assembly	1
4	HW8201	Knob, 10-32X.50LG male stud, black	1 or 2
5	7061A3005	Retainer, gel clip	1
6	7062A4010	Reflector, jr, glass	1
7	7062A3007	Spring, round	1
8	HW750	Spring, gel retainer	1
9	See zoom page	Zoom Lens Holder Assembly (Source Four jr. Zoom only)	1
10	7062A3009	Yoke, jr	1
11	HW8144	Handle, yoke knob, 3092, 5/16-18, female	1
12	HW5193	Bolt, hex 5/16-18 x 1.0" black oxide (yoke)	2
13	HW5125	Bolt, carriage 5/16-18	1
14	HW5126	Washer, flat, 5/16, black oxide (yoke)	3
15	HW391	Screw, PHMS, 8-32 X 3/4 LG.	1
16	See shutter page	Shutter ass	1
17	7062A3013	Spring, reflector support	2
18	HW8200	Retainer, push on	2
19	7062A3014	Light baffle strip	1
20	7062A3015	Cover, iris slot	1
21	HW372	Screw, PhPHMS, 8-32 X 1/4 black oxide	2
22	HW3165	Screw, 8-32 x 1/2 PhPH tapite	6
23	HW4117	Nylon, washer flat, #10	1 or 2
24	HW779	Spring compression	1 or 2

Venta y servicio: (55) 56 72 85 69 - 50 25 91 94

Lamp Socket Assembly




Figure 2

Reference Number	Part Number	Description	Quantity Required
1	7060A3055	Housing, socket, casting, painted	1
2	7060A3057	Socket, light baffle casting, painted	1
3	7060A4007	Knob, X-Y, lamp set	1
4	7060A4008-02	Knob, Z, lamp set w/female insert	1
5	7060A4011	Bushing, cup	1
6	7060A3011	Hub, index, casting	1
7	7060A3012	Spring, lamp retainer	1
8	HW748	Spring, compression	1
9	7060B7019	Complete UL socket assembly	1
10	HW534	Nut, hex, 1/4-20, black zinc	1
11	7060A3025	Screw, 1/4-20 knurled head	1
12	HW746	Retaining ring, flat, Southco	1
13	HW5123	Nut, hex, 9/16-18, black zinc	1
14	HW747	Washer, wave	1
15	7060A3056	Clamp, strain relief, painted	1
16	HW3103	Screw, 8-32 x 5/8 PhFHMS, black zinc	2
17	HW5122	Bolt, 1/4-20 x 1.75, full thread, black zinc	1
18	HW8209	Clip Tinnerman	1
19	7060B7003	48" W420 wire, 16 gauge, 200° C/300V, green UL 1180/CSA AWM with lug J490T installed	1
20	W6195	36" sleeve, fiberglass	1
21	HW749	Spring, ground	1
22	7060B7007	4" W420 wire, 16 gauge, 200° C/300V, green, UL 1180/CSA AWM with two J490T lugs installed	1
23	7060A3085	Source Four Lamp Retainer Wire	1

Lens Holder Assemblies




Figure 8

Reference Number	Part Number	Description	Quantity Required
1	7062A3005	Lens holder, 26°	1
2	7062A3017	Lens holder, 36°	1
3	7062A3018	Lens holder, 50°	1
4	7062A3019	Lens holder, Zoom, forward (Source Four jr. Zoom only)	1
5	7062A3020	Lens holder, Zoom, back (Source Four jr. Zoom only)	1
6	7062A4001	Lens, 26°, "black dot"	1
7	7062A4002	Lens, 36°, "white dot"	1
8	7062A4003	Lens, 50°, "yellow dot"	1
9	7062A4008	Lens, Zoom, forward (Source Four jr. Zoom only)	1
10	7062A4009	Lens, Zoom, back, black (Source Four jr. Zoom only)	1
11	7062A3027	Lens cover, Zoom, front, 25°-50° (Source Four jr. Zoom only)	1
12	7062A3026	Lens cover, Zoom, rear, 25°-50° (Source Four jr. Zoom only)	1
13	7062A3029	Plate, secondary aperture (Source Four jr. Zoom only)	1
14	HW124	Screw 4-40 x 1/4 SPHMS, black Oxide	2
15	HW196	Nut 4-40 Keps	4
16	HW1127	Spacer (Source Four jr. Zoom only)	2
17	7060A4010	Bushing gate (fixed, front, or rear lens)	4
18	HW8209	Tinnerman clip	3
19	HW4117	Nylon washer, flat, #10	1 or 2
20	HW779	Spring, compression	1 or 2
21	HW8201	Lens knob, 10-32 x .50 LG male stud, black (Fixed or Zoom)	1 or 2
	7062A2001	Lens holder assembly, 26° (black dot)	1
	7062A2003	Lens holder assembly, 36° (white dot)	1
	7062A2004	Lens holder assembly, 50° (yellow dot)	1
	7062A2005	Lens holder assembly, Zoom, forward	1
	7062A2006	Lens holder assembly, Zoom, rear	1

Shutter Assembly





Figure 13

Shutter Assembly: The bottom divider plate (4) has four dimples punched into the surface; the divider plate (2) has none. The middle divider plate (3) has a slightly smaller diameter hole than the other two.



Reference Number	Part Number	Description	Quantity Required
1	7062A2002	Shutter blade assembly	4
2	7062A3016	Plate, divider	1
3	7062A3010	Plate, Gate, middle	1
4	7062A3030	Plate, divider with dimples	1
5	7062A3031	Plate, spring support	1
6	HW754	Spring, shutter	4



Corporate Headquarters ■ 3031 Pleasant View Road, P.O. Box 620979, Middleton, Wisconsin 53562-0979 USA ■ Tel +608 831 4116 ■ Fax +608 836 1736
 London, UK ■ Unit 5, Victoria Industrial Estate, Victoria Road, London W3 6UU, UK ■ Tel +44 (0)20 8896 1000 ■ Fax +44 (0)20 8896 2000
 Rome, IT ■ Via Ennio Quirino Visconti, 11, 00193 Rome, Italy ■ Tel +39 (06) 32 111 683 ■ Fax +39 (06) 32 656 990
 Holzkirchen, DE ■ Ohmstrasse 3, 83607 Holzkirchen, Germany ■ Tel +49 (80 24) 47 00-0 ■ Fax +49 (80 24) 47 00-3 00
 Hong Kong ■ Room 605-606, Tower III Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong ■ Tel +852 2799 1220 ■ Fax +852 2799 9325
 Service: (Americas) service@etconnect.com ■ (UK) service@etceurope.com ■ (DE) techserv-hoki@etconnect.com ■ (Asia) service@etcasia.com
 Web: www.etconnect.com ■ Copyright © 2005 ETC. All Rights Reserved. ■ Product information and specifications subject to change.
 7062M2500-05.04 ■ Rev A ■ Released 04/2005

Venta y servicio: (55) 56 72 85 69 - 50 25 91 94