




Opti 16 4CW (Cool White)
Photometric Beam Angle Data

25° Beam Angle

LUX x 0.0929 = FC

W (4) 126 FC / 1,360 LUX 33 FC / 359 LUX 15 FC / 162 LUX 9 FC / 97 LUX 6 FC / 62 LUX



25° Beam Angle



OPTI 16-4 WW / CW - 1W Warm White / Cool White LED SPECIFICATIONS

- Compact, High output LED Par Can with Four, 1-Watt White LED's
- Long-life LED's: 50,000 hrs.
- Dimmable 0~100%
- 25 degree beam angle lenses x4
- Includes Gel Frame for color or diffusion filter
- Two versions available, 6000K & 3000K
- 6000K version measures 359 LUX @ 6.6' distance
- 3000K version measures 229 LUX @ 6.6' distance
- Power Input: 120VAC ~ 60Hz.
- Power Consumption: 7 watts
- Weight: 1.76 lbs. (0.8kg)
- Dimensions (LxWxH): 4.75" x 3.25" x 3.25" (120x82.5x82.5mm)


www.carlosmendoza.com.mx

Opti 16 4WW (Warm White)
Photometric Beam Angle Data

25° Beam Angle

LUX x 0.0929 = FC

W (4) 70 FC / 757 LUX 21 FC / 229 LUX 9 FC / 100 LUX 5 FC / 59 LUX 3 FC / 30 LUX



25° Beam Angle

AVAILABLE MODELS

- OPTI 16 WW: Warm White LEDs (3000K)
- OPTI 16 CW: Cool White LEDs (6000K)